www.independentlocksmiths.com.au

552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122



Panic Hardware

ED22 Series ED2227 Series ED22M Series

552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122

Panic exit devices provide a fast and convenient means of escape in the case of an emergency.

The dormakaba panic exit devices are available in rim exit and vertical rod devices for single doors as well as vertical rod devices for double doors.

Our panic exit devices have been designed to provide single action, push type emergency egress from buildings. We offer fire rated models across all panic exit device categories and our exit devices are suitable for use on doors constructed of either timber or metal.

Recommended Applications

- Retail complexes
- Commercial complexes
- Entertainment centres
- Hospitals
- Education Facilities
- Hotels


Fire Rating


The dormakaba panic exit devices without the dogging (latch hold back) function have been successfully tested on fire door assemblies to comply with Australian Standard AS1905 Part 1, Fire Resistant door sets. All testing is carried out by independent laboratories.

When specifying/ordering add suffix "F" to code, eg. ED22MFSSS. ED22 and ED2227 series will be listed as no dogging for fire rated versions.

Note: Fire doors cannot include dogging due to fire regulations.

Handing of door






552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au




MASTER LICENCE NO: 407958122

Usage Chart

Flush and Fire Doors






or ED22DP Door co-ordinator recommended

ED22/ED22M


Timber Glazed or Aluminium Doors



ED22/ED22M



or Timber glazed doors - surface mounted ED22DP Aluminium doors - edge mounted ED22DP plus EDP1942B strike refer accessories and parts



ED2227

Flush meeting



Note: On both timber and glazed aluminium doors a 105mm minimum stile plus rebate or bead stop is required.

A mid rail is required for doors over 1050mm between door stops or when using external trims.


www.independentlocksmiths.com.au


552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122

Dimensions






www.independentlocksmiths.com.au

552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122

Dimensions



www.independentlocksmiths.com.au

552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122

ED22 Series - Rim

The dormakaba ED22 series rim type panic exit device is designed to provide emergency egress by a single action pushing motion via a modern design touch pad, fitted horizontally across the door.

The ED22 provides secure dead latching function and offers latch hold back (dogging) options, external trim options for lever/knob or pull handle and is suitable for double or single, metal or timber doors.

Length

Supplied in 1085mm standard length.

Can be field sized to 645mm minimum length (including strike). Cylinder dogging (CD) adds 40mm to minimum length.

Stile

105mm minimum stile plus rebate or bead stop. A mid rail is required for glazed aluminium/timber doors over 1050mm between door stops or when using external trims.

Fixings

Timber self-tapping screws and metal machines screws supplied as standard.

Construction

Pressed and cast metal casing. Operating parts made of steel and brass. Main and auxiliary latch bolt constructed of stainless steel.

Handing

Non handed

Dogging

Hex (allen) key type supplied as standard. Optional cylinder dogging available – when specifying/ordering use suffix "CD" (factory fitted).



Fire Rating

The ED22 series has been successfully tested on fire door assemblies in accordance with Australian Standard AS 1905 Part 1: Fire resistant door sets. When specifying/ordering add suffix "F" to code, eg. ED22EOFSIL.

Note: Fire doors cannot include dogging due to fire regulations.

Finish

Satin Stainless Steel	SSS
Silver (painted)	SIL

External trim

121 cylinder for nightlatch (NL) function or key in knob/ key in lever for classroom function. Through fixing pull handle on plate available as pull only or d pull with round hole to suit rim cylinder.

Note: D pull with round hole is handed - see accessories.

Optional External Trims

	C C C			
Function	Cylinder	Knob	Lever	Pull Handle
Nightlatch	121			ED22PHNL
Classroom		EDK70	EDL70	
No function				ED22PH

552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122

ED22 Series Functions

Rim

Suffix	Inside action	Outside action
EO	Exit only	Nil
NL	Exit only	Key entry

Note:

For square edge stile aluminium doors only - order ED1942B in addition to the exit device. For external trims and accessories refer to accessories and parts page 17.

ltem	Article Number	Description	Barcode
HEX KEY DOGGING	G - RIM DEVICES		
ED22EOSIL	940000002208	ED22EO EXIT ONLY 1085MM SIL Contents: ED22, PS01-955SS	9322844077668
ED22EOSSS	940000002209	ED22EO EXIT ONLY 1085MM SSS Contents: ED22, PS01-95SSS	9322844084185
ED22NLSIL	940000002216	ED22NL NIGHT LATCH SIL Contents: ED22, 121 Cylinder, PS01-95SSS	9322844017824
ED22NLSSS	940000002217	ED22NL NIGHT LATCH SSS Contents: ED22, 121 Cylinder, PS01-95SSS	9322844022453
NO DOGGING - RIN	I DEVICES - FIRE RATED	8	
ED22EOFSIL	940000002206	ED22EOF EXIT ONLY FIRE RATED 1085MM SIL Contents: ED22, PS01-955SS	9322844024471
ED22EOFSSS	940000002207	ED22EOF EXIT ONLY FIRE RATED 1085MM SSS Contents: ED22, PS01-95SSS	9322844128513
ED22NLFSIL	940000002214	ED22NLF NIGHT LATCH FIRE RATE 1085MM SIL Contents: ED22, 121 Cylinder, PS01-95SSS	9322844025348
ED22NLFSSS	940000002215	ED22NLF NIGHT LATCH FIRE RATE 1085MM SSS	9322844208765

CYLINDER DOGGING - RIM DEVICES			
ED22EOCDSIL	940000002204	ED22EOCD EXIT ONLY 1085MM SIL Contents: ED22, 140 Cylinder, PS01-95SSS	9322844070607
ED22NLCDSSS	940000002213	ED22NLCD NIGHT LATCH 1085MM SSS Contents: ED22, 121 Cylinder, 140 Cylinder, PS01-95SSS	9322844195157

Contents: ED22, 121 Cylinder, PS01-95SSS

552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122

ED22M Series - Rim with Mortice Lock

The dormakaba ED22M has been designed to operate in conjunction with the renowned MS2 mortice lock.

The ED22M offers all the security functions of the MS2602 mortice lock whilst providing a fast and convenient means of escape in the case of an emergency. The exit device is supplied with convenient mounting plates, providing fast, secure and easy thru fixing to timber doors.

The ED22M is supplied complete with ED22 exit device and MS2602ED (modified for double doors) mortice lock.

Length

Supplied in 1060mm standard length. Can be field sized to 645mm minimum length.

Mounting

Timber - Mounting plates and thru fixing screws (supplied). Metal/Aluminium - Fixing direct to metal surface less mount plates (fixings not included). Drill and tap recommended.

Stile

115mm to suit metal/aluminium where mounting plates are not used. A mid rail is required if mounting plates are fitted or if the door opening is greater than 1050mm.

Door Thickness

35mm up to 50mm thick door as standard. Thicker doors on application.

Fixings

Supplied as standard with fixings for surface and thru fixing (surface fixings supplied as self-tapping timber screws).

Handing

Reversible



Dogging

Hex (allen) key type supplied as standard. Cylinder dogging by external hold back cylinder.

Fire Rating



A fire rated version of the ED22M (ED22MF) is available. This version comes without the dogging function. The ED22MF has been successfully tested on fire door assemblies in accordance with Australian Standard AS1905 Part 1: Fire door sets.

When specifying/ordering add suffix "F" to code, eg. ED22MFSSS.

Note: Fire doors cannot include dogging due to fire regulations.

Finish

Satin Stainless Steel SSS


552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



ED22M Series Functions

Rim with Mortice Lock

Optional External Trims



Note:

The ED22M is supplied complete with ED22 exit device and MS2602ED (modified for double doors) mortice lock. For external trims and accessories refer to accessories and parts page 17.

ltem	Article Number	Description	Barcode
	- RIM DEVICES		
ED22MSSS	940000002211	ED22M EXIT DEVICE MORTICE HEXDOGG SSS Contents: ED22, MS2602ED, PS01-95SSS	9322844046671
NO DOGGING - RIM	DEVICES - FIRE RATED	8	
ED22MFSSS	940000002210	ED22MF EXIT ONLY MORTICE LOCK FIRE RATED SSS Contents: ED22, MS2602ED, PS01-95SSS	9322844047494

www.independentlocksmiths.com.au

552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122

ED2227 Series - Vertical Rod

The dormakaba ED2227 series vertical rod type panic exit device is designed to provide emergency egress by a single action pushing motion via a modern design touch pad, fitted horizontally across the door.

The ED2227 provides secure two point latching in top and bottom of door and offers latch hold back (dogging) options, external trim options for lever/knob and is suitable for double or single, metal or timber doors.

Length

Supplied in 1085mm standard length. Can be field sized to 645mm minimum length (including

strike). Cylinder dogging (CD) adds 40mm to minimum length.

Height

Suits 2100mm high doors. Extension rods available in 600mm lengths.

Stile

105mm minimum stile plus rebate or bead stop. A mid rail is required for glazed aluminium/timber doors over 1050mm between door stops or when using external trims.

Fixings


Timber self-tapping screws and metal machines screws supplied as standard.

Construction

Pressed and cast metal casing. Operating parts made of steel and brass. Stainless steel latchbolts.

Handing

Reversible



Dogging

Hex (allen) key type supplied as standard. Optional cylinder dogging available – when specifying/ordering use suffix "CD" (factory fitted).

Fire Rating

The ED2227 series has been successfully tested on fire door assemblies in accordance with Australian Standard AS 1905 Part 1: Fire resistant door sets. When specifying/ordering add suffix "F" to code, eg. ED2227EOFSIL.

Note: Fire doors cannot include dogging due to fire regulations.

Finish

Satin Stainless Steel SSS Silver (painted) SIL

External trim

121 cylinder for nightlatch (NL) function or key in knob/ key in lever for classroom function.

Optional External Trims



No function

552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122

ED2227 Series Functions

Vertical Rod

Suffix	Inside action	Outside action
EO	Exit only	Nil
NL	Exit only	Key entry

Note:

For square edge stile aluminium doors only - order ED1942B in addition to the exit device. For external trims and accessories refer to accessories and parts page 17.

•

Item	Article Number	Description	Barcode
HEX KEY DOGGING	- VERTICAL DEVICES		
ED2227EOSIL	940000002184	ED2227EO EXIT ONLY 1085MM SIL Contents: ED2227, PS04-95SSS, PS11, PS1609-95SSS	9322844046725
ED2227EOSSS	940000002185	ED2227EO EXIT ONLY 1085MM SSS Contents: ED2227, PS04-95SSS, PS11, PS1609-95SSS	9322844052542
ED2227NLSIL	940000002190	ED2227NL NIGHT LATCH 1085MM SIL Contents: ED2227, 121 Cylinder, PS04-95SSS, PS11, PS1609-95SSS	9322844224659
ED2227NLSSS	940000002191	ED2227NL NIGHT LATCH 1085MM SSS Contents: ED2227, 121 Cylinder, PS04-95SSS, PS11, PS1609-95SSS	9322844025317

NO DOGGING - VERTICAL DEVICES - FIRE RATED		8		
ED2227EOFSIL	940000002182	ED2227EOF EXIT ONLY FIRE RATED 1085MM SIL Contents: ED2227, PS04-95SSS, PS11, PS1609-95SSS	9322844140898	
ED2227EOFSSS	940000002183	ED2227EOF EXIT ONLY FIRE RATED 1085MM SSS Contents: ED2227, PS04-95SSS, PS11, PS1609-95SSS	9322844025331	
ED2227NLFSIL	940000002188	ED2227NLF NIGHT LATCH FIRE RATE 1085MM SIL Contents: ED2227, 121 Cylinder, PS04-95SSS, PS11, PS1609-95SSS	9322844219228	
ED2227NLFSSS	940000002189	ED2227NLF NIGHT LATCH FIRE RATE 1085MM SSS Contents: ED2227, 121 Cylinder, PS04-95SSS, PS11, PS1609-95SSS	9322844045575	

CYLINDER DOGGING - VERTICAL DEVICES			
ED2227EOCDSIL	940000002180	ED2227EOCD EXIT ONLY CYL DOG 1085MM SIL Contents: ED2227, 140 Cylinder, PS04-95SSS, PS11, PS1609-95SSS	9322844155137
ED2227EOCDSSS	940000002181	ED2227EOCD EXIT ONLY CYL DOG 1085MM SSS Contents: ED2227, 140 Cylinder, PS04-95SSS, PS11, PS1609-95SSS	9322844161312
ED2227NLCDSIL	940000002186	ED2227NLCD NIGHT LATCH C/DOG 1085MM SIL Contents: ED2227, 121 Cylinder, 140 Cylinder, PS04-95SSS, PS11, PS1609-95SSS	9322844214308
ED2227NLCDSSS	940000002187	ED2227NLCD NIGHT LATCH C/DOG 1085MM SSS Contents: ED2227, 121 Cylinder, 140 Cylinder, PS04-95SSS, PS11, PS1609-95SSS	9322844219259

552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122

ED22/ED2227 Series - Double Packs

ED22DP series double pack panic exit devices are designed to provide emergency egress by a single action pushing motion via a modern design touch pad, fitted horizontally across the doors. The ED22DP provides secure locking in double door applications and offers latch hold back (dogging) options, external trim options for lever/knob and is suitable for double or single, metal or timber doors.



552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122

ED22/ED2227 Series Functions

Double Packs

Suffix	Inside action	Outside action
EO	Exit only	Nil
NL	Exit only	Key entry

Note:

For square edge stile aluminium doors only - order ED1942B in addition to the exit device. For external trims and accessories refer to the exit device accessories and parts page.

ltem	Article Number	Description	Barcode
HEX KEY DOGGING	- DOUBLE PACKS		
ED22DPEOSIL	940000002196	ED22DPEO DBL PCK EXIT ONLY 1085MM SIL Contents: ED22, ED2227, EDP01-05SSS, PS1609-95SSS	9322844127493
ED22DPEOSSS	940000002197	ED22DPEO DBL PCK EXIT ONLY 1085MM SSS Contents: ED22, ED2227, EDP01-05SSS, PS1609-95SSS	9322844133449
ED22DPNLSIL	940000002202	ED22DPNL DBL PCK N/LATCH 1085MM SIL Contents: ED22, ED2227, 121 Cylinder, EDP01-05SSS, PS1609-95SSS	9322844069038
ED22DPNLSSS	940000002203	ED22DPNL DBL PCK N/LATCH 1085MM SSS Contents: ED22, ED2227, 121 Cylinder, EDP01-05SSS, PS1609-95SSS	9322844037808

NO DOGGING - DOUBLE PACKS- FIRE RATED		8		
ED22DPEOFSIL	940000002194	ED22DPEOF DBL PCK EXIT ONLY 1085MM SIL Contents: ED22, ED2227, EDP01-05SSS, PS1609-95SSS	9322844087070	
ED22DPEOFSSS	940000002195	ED22DPEOF DBL PCK EXIT ONLY 1085MM SSS Contents: ED22, ED2227, EDP01-05SSS, PS1609-95SSS	9322844092715	
ED22DPNLFSIL	940000002200	ED22DPNLF DBL PCK N/LATCH 1085MM SIL Contents: ED22, ED2227, 121 Cylinder, EDP01-05SSS, PS1609-95SSS	9322844064439	
ED22DPNLFSSS	940000002201	ED22DPNLF DBL PCK N/LATCH 1085MM SSS Contents: ED22, ED2227, 121 Cylinder, EDP01-05SSS, PS1609-95SSS	9322844051293	

CYLINDER DOGGING - DOUBLE PACKS					
ED22DPEOCDSIL	940000002192	ED22DPEOCD DBL PCK EXIT ONLY 1085MM SIL Contents: ED22, ED2227, 140 Cylinder, EDP01-05SSS, PS1609-95SS	9322844229937		
ED22DPEOCDSSS	940000002193	ED2227EOCD EXIT ONLY CYL DOG 1085MM SSS Contents: ED22, ED2227, 140 Cylinder, EDP01-05SSS, PS1609-95SS	9322844025195		
ED22DPNLCDSIL	940000002198	ED2227NLCD NIGHT LATCH C/DOG 1085MM SIL Contents: ED22, ED227, 121 Cylinder, 140 Cylinder, EDP01-05SSS, PS1609-95SSS	9322844100984		
ED22DPNLCDSSS	940000002199	ED2227NLCD NIGHT LATCH C/DOG 1085MM SSS Contents: ED22, ED227, 121 Cylinder, 140 Cylinder, EDP01-05SSS, PS1609-95SSS	9322844104395		

552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122

Accessories and Parts

	ltem	Article Number	Description	Barcode
ACCESSORIES				
	MS2602EDSSS	940000006899	MS2602ED EXIT LOCK FOR ED22M SSS	9322844089364
	ED22M-MPSSSS	940000012133	ED22M MOUNT PLATE SET & SCREWS SSS	
	ED22M-SPSSS	940000012132	ED22M SCREW PACK ONLY SSS	
	ED22MLESSLPSS	940000012050	ED22M EXIT DEVICE LESS LOCK & PLATES SSS	
	EDP01-05SSS	940000002223	ED22 STD STRIKE & SHIM	9322844304010
Test -	EDP04-95SSS	940000002224	ED2227 TOP VERTICAL ROD STRIKE	9322844019293
	EDP11	940000002225	ED2227 BRASS FLOOR SOCKET	932284404798:
	EDP1609-95	940000002226	ED22DP STRIKE AND WEAR PLATE SSS	932284430583
00	EDP1942B	940000002227	ED22 EDGE MOUNTED STRIKE SSS	932284401923
-	EDP901	940000002228	EDP902 ED VERT ROD LATCH COV SIL	932284401935
	EDP902	940000002229	EDP902 ED VERT ROD GUIDE - STEEL	932284401915
	EDP904	940000002230	EDP904 ED VERT ROD CONNECTING PIN	932284430643
	EDP905	940000002231	EDP905 ED END CAP & BRACKET - NYLON	932284403726
	EDP905SSS	940000005472	EDP905 ED END CAP & BRACKET - SSS	
	EDP907	940000002232	EDP907 ED VERTICAL ROD TOP 890MM	932284406472
	EDP908	940000002233	EDP908 ED VERTICAL ROD BOTTOM 840MM	932284406474
	EDP920	940000002234	EDP920 ED LATCH MECH & COVER TOP	932284430354
	EDP921	940000002235	EDP921 ED LATCH MECH & COVER BOTTOM	932284430492
	EDP922	940000002236	EDP922 DOGGING KEY	932284401914
	EDP925	940000002237	EDP925 ED GUIDE SLEEVE SUIT EDP902 NYLON	932284401916
	EDP926	940000002238	EDP926 SLIDE COVER	932284401936

552 - 560 Church Street, North Parramatta NSW 2151 Phone: 1300 500 600 | service@independentlocksmiths.com.au



MASTER LICENCE NO: 407958122

Accessories and Parts

	ltem	Article Number	Description	Barcode
EXTERNAL TRIMS				
	EDK70SSS	940000002221	EDK70 KNOB - CLASSROOM FUNCTION SSS	9322844305525
	EDL70SCP	940000002222	EDL70 LEVER - CLASSROOM FUNCTION SCP	9322844300582
	ED22PHSSS	940000002220	ED22PH PULL HANDLE AND PLATE SSS	9322844024600
	ED22PHNLSSSL	940000002218	ED22PHNL P/HANDLE & PLATE N/L LH SSS	9322844189408
	ED22PHNLSSSR	940000002219	ED22PHNL P/HANDLE & PLATE N/L RH SSS	9322844189798

Note:

For external 6600, 6700 plate furniture, 4000 series lever handles and c lever options please refer to relevant brochures.

EXTENSION ROD				
	ED22/44ERSIL	940000002178	ED22/44ER EXTENSION ROD 600MM SIL	9322844303620
	ED22/44ERSSS	940000002179	ED22/44ER EXTENSION ROD 600MM SSS	9322844303293
	ED22/44EROSIL	940000002176	ED22/44ERO ED EXT ROD 1700MM SIL	9322844305396
	ED22/44EROSSS	940000002177	ED22/44ERO ED EXT ROD 1700MM SSS	9322844303743